

MARS EXPLORATION ROVER PROJECT

OPERATIONS EXPERIMENT DATA RECORD (EDR) AND CAMERA REDUCED DATA RECORD (RDR) ARCHIVE VOLUME SOFTWARE INTERFACE SPECIFICATION (SIS)

VERSION 1.31

DRAFT

JPL D-27086

July 11, 2004



Jet Propulsion Laboratory
California Institute of Technology

TABLE OF CONTENTS

1. Introduction.....	1
1.1. Purpose and Scope.....	1
1.2. Content Overview.....	1
1.3. Applicable Documents and Constraints.....	1
1.4. Relationships with Other Interfaces.....	2
2. Archive Volume Contents.....	2
2.1. Root Directory Contents.....	2
2.2. Data Directory Contents and Naming.....	3
2.3. Index Directory Contents.....	3
2.4. Document Directory Contents.....	3
2.5. Catalog Directory Contents.....	4
2.6. Label Directory Contents (optional).....	4
2.7. Software Directory Contents (optional).....	4
2.8. Calib Directory Contents (optional).....	5
2.9. Geometry Directory Contents (optional).....	5
2.10. Browse Directory Contents (optional).....	5
2.11. Extras Directory Contents (optional).....	5
3. Archive Volume Format.....	6
3.1. Disk Format.....	6
3.2. File Formats.....	6
3.2.1. Document File Format.....	6
3.2.2. Tabular File Format.....	6
3.2.3. PDS Label Format.....	7
3.2.4. Software File Format.....	7
3.2.5. Catalog File Format.....	7
3.2.6. Science Data File Formats.....	7
4. Archive Volume Generation.....	8
4.1. Data Transfer, Validation Methods, and Peer Review.....	8
4.2. Interface Media Characteristics.....	8
4.3. Backup and Duplicates.....	8
4.4. Labeling and Identification.....	8
5. Support Staff and Cognizant Persons.....	9
5.1. Data Providers.....	9
5.2. PDS Contacts.....	10

Appendix A – MER OPERATIONS EDR ARCHIVE VOLUME CONTENTS

Appendix B – MER OPERATIONS CAMERA RDR ARCHIVE VOLUME CONTENTS

Appendix C – MER OPERATIONS CAMERA RDR MOSAICS ARCHIVE VOLUME CONTENTS

Appendix D – MER OPERATIONS CAMERA RDR MESHES ARCHIVE VOLUME CONTENTS

DOCUMENT CHANGE LOG

Change	Date	Affected Portions
Initial Release, Version 1.0	06-13-04	All
Version 1.1	06-15-04	Updated Volume Set Ids, in Appendices, to contain "OP"
Version 1.2	06-23-04	Added Anaglyph datasets, RMC dataset. Removed Hazcam mosaic dataset.
Version 1.3	07-02-04	Removed references to Mini-TES throughout the document.
Version 1.31	07-11-04	Added browse file .LBL requirement and renamed the dataset catalog files.

TBD ITEMS

Section	Description

ACRONYMS AND ABBREVIATIONS

APXS	Alpha Particle X-ray Spectrometer
ASCII	American Standard Code for Information Interchange
CODMAC	Committee On Data Management And Computation
CORNELL	Cornell University
DESCAM	Descent Camera
DVD	Digital Video Disc
EDR	Experiment Data Record
HAZCAM	Hazard Avoidance Camera
HTML	HyperText Markup Language
ILUT	Inverse Look-Up Table
IMG	Image
ISO	International Standards Organization
JPEG, JPG	Joint Photographic Experts Group
JPL	Jet Propulsion Laboratory
MB	Mössbauer Spectrometer
MER	Mars Exploration Rover
MI	Microscopic Imager
MIPL	Multimission Image Processing Laboratory
NASA	National Aeronautics and Space Administration
NAVCAM	Navigation Camera
PANCAM	Panoramic Camera
NSSDC	National Space Science Data Center
OPS	Operations
PDF	Adobe® Portable Document Format
PDS	Planetary Data System
RAT	Rock Abrasion Tool
RDR	Reduced Data Record
SIS	Software Interface Specification
TBD	To Be Determined

GLOSSARY

Archive – An archive consists of one or more data sets along with all the documentation and ancillary information needed to understand and use the data. An archive is a logical construct independent of the medium on which it is stored.

Archive Volume, Archive Volume Set – A volume is a unit of media on which data products are stored; for example, one CD-ROM or DVD-ROM. An *archive volume* is a volume containing all or part of an archive; that is, data products plus documentation and ancillary files. When an archive spans multiple volumes, they are called an *archive volume set*. Usually the documentation and some ancillary files are repeated on each volume of the set, so that a single volume can be used alone.

Catalog Information – Descriptive information about a data set (e.g. mission description, spacecraft description, instrument description), expressed in Object Description Language (ODL) which is suitable for loading into a PDS catalog.

Data Product – A labeled grouping of data resulting from a scientific observation, usually stored in one file. A product label identifies, describes, and defines the structure of the data. An example of a data product is a planetary image, a spectrum table, or a time series table.

Data Set – An accumulation of data products. A data set together with supporting documentation and ancillary files is an archive.

1. Introduction

1.1. Purpose and Scope

This Software Interface Specification is intended to be used by those who wish to understand the format and content of the Mars Exploration Rover (MER) Archives. Typically, these individuals would be software engineers, data analysts, or planetary scientists.

The specifications in this document apply to the MER Operations Experiment Data Record (EDR) standard product archive volumes, MER Camera Reduced Data Record (RDR) standard product archive volumes, MER Camera RDR Mosaics archive volumes, and MER Camera RDR Meshes archive volumes that are generated by the MER Project.

The MER Archives are intended to be stored online for electronic distribution. The online version will conform to the structure described in this document. In addition, copies of the archives will be stored on physical media such as CDs or DVDs for long-term preservation. The requirements for these physical copies are described in section 4.

1.2. Content Overview

The MER Operations EDR Archive volume set consists of the MER raw data products acquired and used during ground operations. The MER Camera RDR Archive volume sets consist of MER Operations EDR derived data products. All archives contain documentation and other ancillary material.

The MER raw data products are Operations Experiment Data Records (EDRs), produced from telemetry data from instruments onboard the MER Project rovers. Telemetry data is processed into data records (CODMAC Level 2), with attached dual PDS/VICAR labels, by MIPL of the Jet Propulsion Laboratory. The MER Camera RDR products are produced from operations EDRs for the Pancam, Navcam, Hazcam, and MI instruments.

MIPL is the producer of all Operations EDR and Camera RDR data records and is responsible for assembling the archives. The PDS is responsible for validating the archives for compliancy of structure and format against PDS specifications. The various MER instrument science teams are responsible for reviewing the archive in terms of science validity and integrity.

This Software Interface Specification (SIS) describes the format, content, and generation of the Mars Exploration Rover (MER) Archives. Section 2, Archive Volume Contents, describes the general structure of archive volumes and the contents of each file. Section 3, Archive Volume Format, describes the file formats used on the archive volumes. Section 4, Archive Volume Generation, describes the procedure for transferring data products to archive media. Section 5, Support Staff and Cognizant Persons, lists the individuals and institutions responsible for generating the archive volumes. Finally, Appendices A-D, describe the specific identifiers, specifications, and structure of the archive volumes produced along with a listing of any relevant documentation such as the Data Product SISs and schedules for release of data products.

1.3. Applicable Documents and Constraints

This Archive Volume SIS is intended to be consistent with the following documents:

1. Mars Exploration Program Data Management Plan, R. E. Arvidson and S. Slavney, Rev. 2, Nov. 2, 2000.
2. Mars Exploration Rover Project Archive Generation, Validation and Transfer Plan, R. E. Arvidson and S. Slavney, JPL D-19658, January 2, 2001.
3. Data Product SIS [Please refer to appendices for instrument specific SISs.]
4. *Planetary Data System Data Preparation Workbook*, February 17, 1995, Version 3.1, JPL D-7669, Part 1.
5. *Planetary Data System Standards Reference*, October 15, 2002, Version 3.5, JPL D-7669, Part 2.
6. ISO 9660-1988, Information Processing - Volume and File Structure of CD-ROM for Information Exchange, April 15, 1988.
7. Universal Disk Format™ Specification, Revision 1.02, August 30, 1996, Optical Storage Technology Association (OSTA).

1.4. Relationships with Other Interfaces

This Archive Volume SIS could be affected by changes to the design of any of the MER standard data products (Applicable Document #3).

2. Archive Volume Contents

This section describes in general the contents of the MER Operations EDR and Camera RDR Archive volumes, including directory names, file names, file contents, file types, and organization responsible for providing the files. Data set specific MER archive contents can be found in the appendices.

The MER Archives are organized with each volume set on a separate logical volume (Several small data sets may be stored together on one physical volume, and a particularly large data set may span more than one physical volume). Each logical volume includes the required directories listed below, and may include some or all of the optional directories.

2.1. Root Directory Contents (required)

Files in the Root Directory include an overview of the archive, a description of the volume for the PDS Catalog, and a list of errata or comments about the archive. The following files are contained in the Root Directory.

File Name	File Contents	File Provided By
AAREADME.TXT	Volume content and format information	(e.g., PDS Node or Instrument Team)
AAREADME.HTM	Hypertext version of AAREADME.TXT (optional)	PDS Node
AAREADME.LBL	A PDS detached label that describes both AAREADME.TXT and AAREADME.HTM (optional, could be attached to AAREADME.TXT).	PDS Node

ERRATA.TXT	A cumulative listing of comments and updates concerning all archive volumes published to date	Data provider or PDS Node
VOLDESC.CAT	A description of the contents of this volume in a PDS format readable by both humans and computers	PDS Node

2.2. Data Directory Contents and Naming (required)

Contents and naming scheme of the data sub-directories for specific instruments is described in the appendices. Data file naming format and nomenclature is described in each instrument's respective Data Product SIS [Applicable Document #3].

2.3. Index Directory Contents (required)

Files in the Index Directory are provided to help the user locate products on this archive volume and on previously released volumes in the archive. The following files are contained in the Index Directory.

File Name	File Contents	File Provided By
INDXINFO.TXT	A description of the contents of this directory	PDS Node
INDEX.TAB	A table listing all data products on this volume	PDS Node or Data Provider
INDEX.LBL	A PDS detached label that describes INDEX.TAB	PDS Node or Data Provider
CUMINDEX.TAB	A cumulative listing of all data products on this volume and on previous volumes in this set	PDS Node or Data Provider
CUMINDEX.LBL	A PDS detached label that describes CUMINDEX.TAB	PDS Node or Data Provider

2.4. Document Directory Contents (required)

The Document Directory contains documentation to help the user understand and use the archive data. The following files are contained in the Document Directory.

File Name	File Contents	File Provided By
DOCINFO.TXT	A description of the contents of this directory	PDS Node
DPSIS.ASC or .HTM	The Data Product SIS as text or hypertext	Data Provider
DPSIS.PDF	The Data Product SIS as a PDF file	Data Provider
DPSIS.LBL	A PDS detached label that describes both DPSIS.TXT(HTM) and DPSIS.PDF	PDS Node
ARCHSIS.ASC or .HTM	The Archive Volume SIS (this document) as text or hypertext	PDS Node or Data Provider
ARCHSIS.PDF	The Archive Volume SIS (this document) as a PDF file	PDS Node or Data Provider
ARCHSIS.LBL	A PDS detached label that describes both ARCHSIS.TXT(HTM) and ARCHSIS.PDF.	PDS Node

2.5. Catalog Directory Contents (required)

The files in the Catalog Directory provide a top-level understanding of the mission, spacecraft, instruments, and data sets. The files in this directory are coordinated with the PDS data engineer, who is responsible for loading them into the PDS catalog. The following files are found in the Catalog Directory.

File Name	File Contents	File Provided By
CATINFO.TXT	A description of the contents of this directory	PDS Node
DATASET.CAT	Data set information for the PDS catalog	Data Provider
INSTHOST.CAT	Instrument host (i.e., spacecraft) information for the PDS catalog	MER Project
INST.CAT	Instrument information for the PDS catalog	Data Provider
MISSION.CAT	Mission information for the PDS catalog	MER Project
PERSON.CAT	Personnel information for the PDS catalog (Team and PDS personnel responsible for generating the archive)	Data Provider
REF.CAT	References mentioned in other *.CAT files	Data Provider
SOFTWARE.CAT	Software information for the PDS catalog	Data Provider

2.6. Label Directory Contents (optional)

The Label Directory contains files that describe data format and organization. These files are referred to in the PDS labels that accompany the data products. They are "include" files that are intended to be parsed as if they were part of the PDS labels that refer to them. The following files are contained in the Label Directory.

File Name	File Contents	File Provided By
LABINFO.TXT	A description of the contents of this directory	PDS Node
[*].FMT files]	Format files	Data Provider

2.7. Software Directory Contents (optional)

The Software Directory contains utilities or application programs to aid the user in viewing or extracting data from the data product files. The following files are contained in the Software Directory.

File Name	File Contents	File Provided By
SOFTINFO.TXT	A description of the contents of this directory	PDS Node
Software files	Software files, applications, source code, etc.	Data Provider

2.8. Calib Directory Contents (optional)

The Calib Directory contains calibration files used to process the data products, or calibration data needed to use the data products. The following files are contained in the Calib Directory.

File Name	File Contents	File Provided By
CALINFO.TXT	A description of the contents of this directory	PDS Node
Calibration files	Image Calibration Files	Data Provider

2.9. Geometry Directory Contents (optional)

The Geometry Directory contains files needed to understand observation geometry. The following files are contained in the Geometry Directory.

File Name	File Contents	File Provided By
GEOMINFO.TXT	A description of the contents of this directory	PDS Node
Geometry files	Spacecraft Geometry files	Data Provider

2.10. Browse Directory Contents (optional)

The Browse Directory contains reduced-size, easily viewed versions of data products to be used to help identify products of interest. The following files are contained in the Browse Directory.

File Name	File Contents	File Provided By
BROWINFO.TXT	A description of the contents of this directory	PDS Node
browse_image.JPG	Thumbnail size versions of the full resolution image files	Data Provider
browse_image.LBL	A PDS detached label that describes browse_image.JPG	Data Provider

2.11. Extras Directory Contents (optional)

The Extras Directory contains documentation, utility programs, or other materials that the user may find helpful, but that are beyond the scope of the required elements of the archive. The contents of this directory are exempt from PDS requirements for labeling, etc. The Extras Directory is intended for "value-added" material, handy to have but not crucial for understanding the data. An example would be a set of web pages for displaying the browse data. Since the directory is nonstandard, a thorough explanation of its purpose should be included. The following files are contained in the Extras Directory.

File Name	File Contents	File Provided By
EXTRINFO.TXT	A description of the contents of this directory	PDS Node
[other files]		Data Provider

3. Archive Volume Format

This section describes the format of the MER Operations EDR and Camera RDR Archive Volumes. Data that comprise the Archive will be formatted in accordance with Planetary Data System specifications [Applicable Documents #4 and #5].

3.1. Disk Format

Archive Volumes have a digital video disk (DVD) format that is compatible with the computer operating systems MS-DOS, Macintosh, and SunOS. The volume format is in accordance with ISO 9660 level 1 Interchange Standard or level 2, if any file names are longer than 8.3. [Applicable Documents #6 and #7].

3.2. File Formats

This section describes file formats for the kinds of files contained on Archive Volumes.

3.2.1. Document File Format

Document files with the .TXT suffix exist in the Root, Index, Software, Catalog, Document, and Label directories. They are ASCII files which may have embedded PDS labels. Lines in a .TXT file end with a carriage return character, <CR> (ASCII 13) and a line feed character, <LF> (ASCII 10). PDS recommends plain text files have line length restricted to 80 characters or fewer, including the <CR><LF>. This allows the files to be readable under various operating systems.

Documents in the Document directory may contain formatting and figures that cannot be rendered as ASCII text. Therefore each document is given in two formats, hypertext and PDF. The hypertext file contains ASCII text plus hypertext markup language (HTML) commands that enable it to be viewed in a Web browser such as Netscape Navigator or Microsoft Internet Explorer. The hypertext file may be accompanied by ancillary files such as images and style sheets that are incorporated into the document by the Web browser. The second format, PDF (Portable Document Format) is a proprietary format of Adobe Systems Incorporated that is frequently used for distributing documents. Adobe offers free software, Acrobat Reader, for viewing PDF files.

3.2.2. Tabular File Format

Tabular files (.TAB suffix) exist in the Index directory and in any data directory where the data consists of ascii tables. Tabular files are ASCII files formatted for direct reading into many database management systems on various computers. All fields are separated by commas, and character fields are enclosed in double quotation marks ("). (Character fields are padded with spaces to keep quotation marks in the same columns of successive records.) Character fields are left justified, and numeric fields are right justified. The "start byte" and "bytes" values listed in the labels do not include the commas between fields or the quotation marks surrounding character fields. The records are of fixed length, and the last two bytes of each record contain the ASCII carriage return and line feed characters. This allows a table to be treated as a fixed length record file on computers that support this file type and as a text file with embedded line delimiters on those that don't.

All tabular files are described by PDS labels, either embedded at the beginning of the file or detached. If detached, the PDS label file has the same name as the data file it describes, with the extension .LBL; for example, the file INDEX.TAB is accompanied by the detached label file INDEX.LBL in the same directory.

3.2.3. PDS Label Format

All data files in the archive have PDS labels as detached files or embedded at the beginning of the file. For examples of PDS labels for each type of data product, see the Data Product SISs [Applicable Document #3].

A PDS label, provides descriptive information about the associated file. The PDS label is an object-oriented structure consisting of sets of 'keyword=value' declarations. The object to which the label refers (e.g. IMAGE, TABLE, etc.) is denoted by a statement of the form:

`^object = location`

in which the carat character (^, also called a pointer in this context) indicates where to find the object. The location is an integer representing the starting record number of the object (the first record in the file is record 1). Below is the format for the ^object definition.

`^object = n`

where **n** is the starting record or byte number of the object, counting from the beginning of the file (record 1, byte 1).

3.2.4. Software File Format

Software is provided in a Zip-compressed file with a detached PDS label as specified in the PDS Standards Reference, chapter 20, Zip Compression. The Zip file includes all files required to use the software, including user manuals.

3.2.5. Catalog File Format

Catalog files (suffix .CAT) exist in the Root and Catalog directories. They are text files formatted in an object-oriented structure consisting of sets of 'keyword=value' declarations.

Each line in a catalog file must be terminated by the two-character carriage-return/linefeed, <CR><LF>, sequence (ASCII decimal character codes 13 and 10, respectively). PDS requires catalog files have line length restricted to 72 characters or fewer including the <CR><LF>, to accommodate PDS' internal database requirements.

3.2.6. Science Data File Formats

See the Data Product SIS for each operations EDR product for descriptions of the data file formats.

4. Archive Volume Generation

4.1. Data Transfer, Validation Methods, and Peer Review

Data provided to the MER science teams will meet the specifications detailed in the Data Product SISs [Applicable Document #3].

The Operations EDRs and Camera RDRs will be generated by MIPL of the Jet Propulsion Laboratory. MIPL is responsible for the assembly and production not only of PDS formatted data, but of complete, PDS-compliant archive volumes, e.g. DVDs. The MER science teams, with the assistance of their respective PDS Nodes, are responsible for the documentation and ancillary files pertaining to their data.

Before final delivery of the archive to PDS Central Node, the PDS Nodes will conduct both peer review and validation. Peer review may be performed on the volume set as a whole, but validation must be performed on every individual volume. The Central Node may perform additional validation once the volume has been received.

The purpose of the peer review is to confirm that the archive will be useable by members of the science community, both present and future, who are not familiar with the mission and/or instrument. Reviewers include members of the PDS, a distributed representation of the project science teams, and members of the science community not associated with the mission.

The purpose of validation is to verify that each volume adheres to PDS standards and to this Archive Volume SIS.

4.2. Interface Media Characteristics

All volumes in the MER Standard Product Archive conform to ISO 9660 standards [ISO 9660, 1988] and UDF standards [OSTA UDF Specification, Rev. 1.02, 1996].

4.3. Backup and Duplicates

At an absolute minimum, three physical media copies of each volume will be produced on write once physical media and delivered to the PDS Central Node, the respective PDS Node, and the NSSDC.

Until validated masters have been produced, or three validated write-once copies have been received by the PDS, volume contents shall be stored by the archive producer either on magnetic disc or write-once physical media.

4.4. Labeling and Identification

The two MER rovers are identified as shown in the table below.

Rover Name	Rover ID	Mission ID	Launch Date	Arrival Date
Spirit	MER 2	MER A	June 10, 2003	January 4, 2004
Opportunity	MER 1	MER B	July 7, 2003	January 25, 2004

Please refer to appendices for instrument specific labeling scheme of archive volumes.

5. Support Staff and Cognizant Persons

5.1. Data Providers

Ray Arvidson

MER Data and Archive Working Group Chair
Washington University
1 Brookings Drive, Campus Box 1169
St. Louis, MO 63130
USA
arvidson@wunder.wustl.edu

Jim Bell

MER Pancam Payload Element Lead
Dept. of Astronomy
402 Space Science
Cornell University
Ithaca, NY 14853
USA
jfb8@cornell.edu

Ken Herkenhoff

MER Microscopic Imager Payload Element Lead
U.S. Geological Survey
2255 N. Gemini Drive
Flagstaff, AZ 86001
USA
kherkenhoff@usgs.gov

Rudolf Rieder

MER APXS Payload Element Lead
Max Planck Institute
rieder@mpch-mainz.mpg.de

Göstar Klingelhöfer

MER Mössbauer Payload Element Lead
University of Mainz
klingel@mail.uni-mainz.de

Steve Gorevan

MER Rock Abrasion Tool Payload Element Lead
Honeybee Robotics
gorevan@honeybeerobotics.com

5.2. PDS Contacts

Rafael Alanis

PDS Imaging Node
Jet Propulsion Laboratory
MS 168-414
4800 Oak Grove Drive
Pasadena, CA 91109
rafael.alanis@jpl.nasa.gov

Ed Guinness

PDS Geosciences Node
Washington University
1 Brookings Drive, Campus Box 1169
St. Louis, MO 63130
guinness@wunder.wustl.edu

Myche McAuley

PDS Imaging Node
Jet Propulsion Laboratory
MS 168-414
4800 Oak Grove Drive
Pasadena, CA 91109
myche.mcauley@jpl.nasa.gov

Susan Slavney

PDS Geosciences Node
Washington University
1 Brookings Drive, Campus Box 1169
St. Louis, MO 63130
slavney@wunder.wustl.edu

Betty Sword

PDS Central Node MER Data Engineer
Jet Propulsion Laboratory
MS 171-264
4800 Oak Grove Drive
Pasadena, CA 91109
betty.sword@jpl.nasa.gov

Appendix A.

MER OPERATIONS EDR ARCHIVE VOLUME CONTENTS

A.1 Applicable Documents

1. Mars Exploration Program Data Management Plan, R. E. Arvidson and S. Slavney, Rev. 2, Nov. 2, 2000.
2. Mars Exploration Rover Project Archive Generation, Validation and Transfer Plan, R.E. Arvidson, S. Slavney, and J.A. Crisp, JPL D-19658, April 21, 2004.
3. MER Camera EDR and RDR Operations Data Products SIS, D. Alexander and H. Mortensen, Ver. 3.0.1, JPL D-22846, July 2, 2004.
4. MER APXS EDR Software Interface Specification (SIS), E.A. Guinness and H. Mortensen, Ver. 2.0, JPL D-22848, November 6, 2003.
5. MER MB EDR Software Interface Specification (SIS), E.A. Guinness and H. Mortensen, Ver. 2.0, JPL D-22849, November 6, 2003.
6. MER Rock Abrasion Tool (RAT) EDR Software Interface Specification (SIS), S. Slavney and H. Mortensen, Ver. 1.0, JPL D-22850, November 5, 2003.

A.2 Volume Sets

The MER Operations EDR Archive is composed of 2 volume sets, described in this appendix. Each volume set consists of eight data sets containing the raw Operations EDRs for the Pancam, Navcam, Hazcam, MI, Descam, APXS, MB, and RAT instruments onboard the MER1 and MER2 rovers, respectively.

A.2.1 Volume Set Names

To avoid excessive duplication of text, a variable “n” has been introduced to stand in as the number 1 or 2 in all instances where a differentiation between the MER1 and MER2 rovers is required (i.e., “n” is equivalent to MER1 and MER2).

A.2.1.1 Identifiers / Volume Specifications

ITEM	VALUE
Volume Set Name:	MARS EXPLORATION ROVER: MERn OPERATIONS EDR
Volume Set ID:	USA_NASA_PDS_MERnOP_0XXX
Data Set(s):	MERn-M-PANCAM-2-EDR-OPS-V1.0 MERn-M-NAVCAM-2-EDR-OPS-V1.0 MERn-M-HAZCAM-2-EDR-OPS-V1.0 MERn-M-MI-2-EDR-OPS-V1.0 MERn-M-DESCAM-2-EDR-OPS-V1.0 MERn-M-APXS-2-EDR-OPS-V1.0 MERn-M-MB-2-EDR-OPS-V1.0 MERn-M-RAT-2-EDR-OPS-V1.0
Media Format:	DVD

Mastered volumes or Write-Once only:
Data distribution mechanism:

Mastered / Write-Once
physical media and / or online

A.2.1.2 Responsibilities

TASK	RESPONSIBLE PARTY
Data products produced by:	JPL/MIPL
Ancillary files and documentation produced by:	MER Project, Instrument Teams, and PDS
Archive volume assembled by:	JPL/MIPL
Data and volume validated by:	PDS Imaging Node and PDS Central Node data engineer
Data distributed by:	PDS Imaging Node

A.2.1.3 Data Release Dates

EVENT	DATE
Data release schedule:	<u>Spirit</u> 1st data release, Sols 1-30, Aug 3, 2004 2nd data release, Sols 31-90, Oct 4, 2004 3rd release, Sols 91-180, Jan 6, 2005 <u>Opportunity</u> 1st data release, Sols 1-30, Aug 24, 2004 2nd data release, Sols 31-90, Oct 25, 2004 3rd release, Sols 91-180, Jan 27, 2005

A.2.1.4 Volume Structure

DIRECTORY	FILE	DESCRIPTION
ROOT	AAREADME.TXT	Textual information describing the volume content and format.
	ERRATA.TXT	Textual information describing errors and/or anomalies found on the current or previous volumes.
	VOLDESC.CAT	A description of the contents of the archive volume in a human and machine readable format.
BROWSE	BROWINFO.TXT	A textual description of the contents of the BROWSE directory.

	browse_files. {JPG,LBL}	The BROWSE sub-directory structure is identical to that of the DATA sub-directory. File names are identical to full resolution file names, except that they end in .JPG extension.
CALIB	CALINFO.TXT calibration data and/or files	A textual description of the contents of the CALIB directory. Image calibration files.
CATALOG	CATINFO.TXT MERn_PAN_DS.CAT MERn_NAV_DS.CAT MERn_HAZ_DS.CAT MERn_MI_DS.CAT MERn_DES_DS.CAT MERn_APX_DS.CAT MERn_MB_DS.CAT MERn_RAT_DS.CAT PAN_INST.CAT NAV_INST.CAT HAZ_INST.CAT MI_INST.CAT DES_INST.CAT APXS_INST.CAT MB_INST.CAT RAT_INST.CAT INSTHOST.CAT MISSION.CAT PERSON.CAT REF.CAT SOFTWARE.CAT	A textual description of the contents of the CATALOG directory. Data set catalog objects for the MERn rover instrument EDRs. These are detailed textual descriptions including: an overview of the data; descriptions of the primary measured parameters, the processing history, and the data format, ancillary information necessary to understand the data; any applicable coordinate systems, software necessary for the use of the data, and an analysis of the quality and limitations of the data. n = 1 or 2 Instrument catalog objects for the MER rover instruments. This is a detailed textual description of the instruments including scientific objectives, calibration information, operational considerations, a description of the detectors and electronics (and filters and optics, if appropriate), the operational modes, subsystems, and measured parameters. A textual description providing an overview of the MER rover/spacecraft. A detailed description of the MER mission. Personnel catalog object. Contact information for people responsible for producing the science data and archive volume and its component data sets. Reference catalog object. This is a complete list of references of papers providing further information about the data sets and instrumentation on this volume. Software catalog object. This provides general information about a software tool, including a description, availability


		information, and dependencies.
DATA		Please see "Data Directory Structure" section below for a description of the DATA directory structure.
DOCUMENT	DOCINFO.TXT OPS_EDR_RDR_SIS.{ASC,LBL,PDF} APXS_EDR_SIS.{ASC,LBL,PDF} MB_EDR_SIS.{ASC,LBL,PDF} RAT_EDR_SIS.{ASC,LBL,PDF} VOLSIS.{ASC,LBL,PDF} Calibration reports	A textual description of the contents of the DOCUMENT directory. Data Product Software Interface Specification for the camera instruments (Descam, Pancam, Navcam, Hazcam, Microscopic Imager). Data Product Software Interface Specification for the APXS instrument. Data Product Software Interface Specification for the Mossbauer instrument. Data Product Software Interface Specification for the Rock Abrasion Tool instrument. Volume Organization Software Interface Specification for the MER data archive. Image calibration reports
EXTRAS	EXTRINFO.TXT Imaging html interface files	A textual description of the contents of the EXTRAS directory. Imaging html interface description
INDEX	INDXINFO.TXT INDEX.{LBL,TAB} CUMINDEX.{LBL,TAB}	A textual description of the contents of the INDEX directory. A tabular summary of the data files on this volume. n = 1 or 2 A cumulative tabular summary of the data files on all (previous) volumes in this volume set. n = 1 or 2
SOFTWARE	SOFTINFO.TXT Software Files	A textual description of the contents of the SOFTWARE directory. Binary to ascii conversions for APXS/MB EDRs.

A.2.1.5 Data Directory Structure

Immediately beneath the DATA directory are sub-directories distinguished on the basis of instrument. The sub-directory names are as follows:

SUB-DIRECTORY NAME	CONTENTS
PAN	The raw data files from the Panoramic Camera.
NAV	The raw data files from the Navigation Camera.
HAZ	The raw data files from the Hazard Avoidance Camera.
MI	The raw data files from the Microscopic Imager Camera.
DES	The raw data files from the Descent Camera.
APXS	The raw data files from the Alpha Particle X-ray Spectrometer.
MB	The raw data files from the Mössbauer Spectrometer.
RAT	The raw data files from the Rock Abrasion Tool.

Beneath these instrument sub-directories, the data is further divided by sol. The sol level directory names are based on sol number and begin with the word ("SOL"), followed by a three digit sol number. The following diagram shows a sample portion of the DATA directory structure:



Appendix B.

MER OPERATIONS CAMERA RDR ARCHIVE VOLUME CONTENTS

A.3 Applicable Documents

7. Mars Exploration Program Data Management Plan, R. E. Arvidson and S. Slavney, Rev. 2, Nov. 2, 2000.
8. Mars Exploration Rover Project Archive Generation, Validation and Transfer Plan, R.E. Arvidson, S. Slavney, and J.A. Crisp, JPL D-19658, April 21, 2004.
9. MER Camera EDR and RDR Operations Data Products SIS, D. Alexander and H. Mortensen, Ver. 3.0.1, JPL D-22846, July 2, 2004.

A.4 Volume Sets

The MER Camera RDR Archive is composed of 2 volume sets, described in this appendix. Each volume set consists of 36 data sets containing the Operations Camera RDRs for the Pancam, Navcam, Hazcam, and MI instruments onboard the MER1 and MER2 rovers, respectively.

A.4.1 Volume Set Names

To avoid excessive duplication of text, a variable “n” has been introduced to stand in as the number 1 or 2 in all instances where a differentiation between the MER1 and MER2 rovers is required (i.e., “n” is equivalent to MER1 and MER2).

A.4.1.1 Identifiers / Volume Specifications

ITEM	VALUE
Volume Set Name:	MARS EXPLORATION ROVER: MERn OPERATIONS CAMERA RDR
Volume Set ID:	USA_NASA_PDS_MERnOP_1XXX
Data Set(s):	MERn-M-PANCAM-3-ILUT-OPS-V1.0 MERn-M-PANCAM-3-RADIOMETRIC-OPS-V1.0 MERn-M-PANCAM-4-LINEARIZED-OPS-V1.0 MERn-M-PANCAM-5-DISPARITY-OPS-V1.0 MERn-M-PANCAM-5-XYZ-OPS-V1.0 MERn-M-PANCAM-5-NORMAL-OPS-V1.0 MERn-M-PANCAM-5-RANGE-OPS-V1.0 MERn-M-PANCAM-5-SLOPE-OPS-V1.0 MERn-M-PANCAM-5-ROUGHNESS-OPS-V1.0 MERn-M-PANCAM-5-ANAGLYPH-OPS-V1.0 MERn-M-NAVCAM-3-ILUT-OPS-V1.0 MERn-M-NAVCAM-3-RADIOMETRIC-OPS-V1.0

Media Format:
 Mastered volumes or Write-Once only:
 Data distribution mechanism:

MERn-M-NAVCAM-4-LINEARIZED-OPS-V1.0
 MERn-M-NAVCAM-5-DISPARITY-OPS-V1.0
 MERn-M-NAVCAM-5-XYZ-OPS-V1.0
 MERn-M-NAVCAM-5-NORMAL-OPS-V1.0
 MERn-M-NAVCAM-5-RANGE-OPS-V1.0
 MERn-M-NAVCAM-5-SLOPE-OPS-V1.0
 MERn-M-NAVCAM-5-ROUGHNESS-OPS-V1.0
 MERn-M-NAVCAM-5-ANAGLYPH-OPS-V1.0

MERn-M-HAZCAM-3-ILUT-OPS-V1.0
 MERn-M-HAZCAM-3-RADIOMETRIC-OPS-V1.0
 MERn-M-HAZCAM-4-LINEARIZED-OPS-V1.0
 MERn-M-HAZCAM-5-DISPARITY-OPS-V1.0
 MERn-M-HAZCAM-5-XYZ-OPS-V1.0
 MERn-M-HAZCAM-5-NORMAL-OPS-V1.0
 MERn-M-HAZCAM-5-RANGE-OPS-V1.0
 MERn-M-HAZCAM-5-SLOPE-OPS-V1.0
 MERn-M-HAZCAM-5-REACHABILITY-OPS-V1.0
 MERn-M-HAZCAM-5-ROUGHNESS-OPS-V1.0
 MERn-M-HAZCAM-5-ANAGLYPH-OPS-V1.0

MERn-M-MI-3-ILUT-OPS-V1.0
 MERn-M-MI-3-RADIOMETRIC-OPS-V1.0
 MERn-M-MI-4-LINEARIZED-OPS-V1.0
 MERn-M-MI-4-ANAGLYPH-OPS-V1.0

MERn-M-RVRCAM-6-RMC-OPS-V1.0
 DVD
 Mastered / Write-Once
 physical media and / or online

A.4.1.2 Responsibilities

TASK	RESPONSIBLE PARTY
Data products produced by:	JPL/MIPL
Ancillary files and documentation produced by:	MER Project, Instrument Teams, and PDS
Archive volume assembled by:	JPL/MIPL
Data and volume validated by:	PDS Imaging Node and PDS Central Node data engineer
Data distributed by:	PDS Imaging Node

A.4.1.3 Data Release Dates

EVENT	DATE
Data release schedule:	<p><u>Spirit</u></p> <p>1st data release, Sols 1-30, Aug 3, 2004</p> <p>2nd data release, Sols 31-90, Oct 4, 2004</p> <p>3rd release, Sols 91-180, Jan 6, 2005</p> <p><u>Opportunity</u></p> <p>1st data release, Sols 1-30, Aug 24, 2004</p> <p>2nd data release, Sols 31-90, Oct 25, 2004</p> <p>3rd release, Sols 91-180, Jan 27, 2005</p>

A.4.1.4 Volume Structure

DIRECTORY	FILE	DESCRIPTION
ROOT	AAREADME.TXT	Textual information describing the volume content and format.
	ERRATA.TXT	Textual information describing errors and/or anomalies found on the current or previous volumes.
	VOLDESC.CAT	A description of the contents of the archive volume in a human and machine readable format.
BROWSE	BROWINFO.TXT	A textual description of the contents of the BROWSE directory.
	browse_files. {JPG,LBL}	The BROWSE sub-directory structure is identical to that of the DATA sub-directory. File names are identical to full resolution file names, except that they end in .JPG extension.
CATALOG	CATINFO.TXT	A textual description of the contents of the CATALOG directory.
	PANn_ILUT_DS.CAT	Data set catalog objects for the MERn rover instrument Camera RDRs. These are detailed textual descriptions including: an overview of the data; descriptions of the primary measured parameters, the processing history, and the data format, ancillary information necessary to understand the data; any applicable coordinate systems, software necessary for the use of the data, and an analysis of the quality and limitations of the data.
	PANn_RAD_DS.CAT	
	PANn_LIN_DS.CAT	
	PANn_DISP_DS.CAT	
	PANn_XYZ_DS.CAT	
	PANn_NORM_DS.CAT	
	PANn_RANGE_DS.CAT	
	PANn_SLOPE_DS.CAT	
	PANn_ROUGH_DS.CAT	
	PANn_ANA_DS.CAT	
		n = 1 or 2

NAVn_ILUT_DS.CAT NAVn_RAD_DS.CAT NAVn_LIN_DS.CAT NAVn_DISP_DS.CAT NAVn_XYZ_DS.CAT NAVn_NORM_DS.CAT NAVn_RANGE_DS.CAT NAVn_SLOPE_DS.CAT NAVn_ROUGH_DS.CAT NAVn_ANA_DS.CAT	
HAZn_ILUT_DS.CAT HAZn_RAD_DS.CAT HAZn_LIN_DS.CAT HAZn_DISP_DS.CAT HAZn_XYZ_DS.CAT HAZn_NORM_DS.CAT HAZn_RANGE_DS.CAT HAZn_SLOPE_DS.CAT HAZn_REACH_DS.CAT HAZn_ROUGH_DS.CAT HAZn_ANA_DS.CAT	
MIn_ILUT_DS.CAT MIn_RAD_DS.CAT MIn_LIN_DS.CAT MIn_ANA_DS.CAT	
CAMn_RMC_DS.CAT	
PAN_INST.CAT NAV_INST.CAT HAZ_INST.CAT MI_INST.CAT	Instrument catalog objects for the MER rover instruments. This is a detailed textual description of the instruments including scientific objectives, calibration information, operational considerations, a description of the detectors and electronics (and filters and optics, if appropriate), the operational modes, subsystems, and measured parameters.
INSTHOST.CAT	A textual description providing an overview of the MER rover/spacecraft.
MISSION.CAT	A detailed description of the MER mission.
PERSON.CAT	Personnel catalog object. Contact information for people responsible for


	REF.CAT	<p>producing the science data and archive volume and its component data sets.</p> <p>Reference catalog object. This is a complete list of references of papers providing further information about the data sets and instrumentation on this volume.</p>
DATA		Please see "Data Directory Structure" section below for a description of the DATA directory structure.
DOCUMENT	DOCINFO.TXT OPS_EDR_RDR_SIS.{ASC,LBL,PDF} VOLSIS.{ASC,LBL,PDF}	<p>A textual description of the contents of the DOCUMENT directory.</p> <p>Data Product Software Interface Specification for the camera instruments (Descam, Pancam, Navcam, Hazcam, Microscopic Imager).</p> <p>Volume Organization Software Interface Specification for the MER data archive.</p>
INDEX	INDXINFO.TXT INDEX.{LBL,TAB} CUMINDEX.{LBL,TAB}	<p>A textual description of the contents of the INDEX directory.</p> <p>A tabular summary of the data files on this volume.</p> <p>n = 1 or 2</p> <p>A cumulative tabular summary of the data files on all (previous) volumes in this volume set.</p> <p>n = 1 or 2</p>

A.4.1.5 Data Directory Structure

Immediately beneath the DATA directory are sub-directories distinguished on the basis of instrument. The sub-directory names are as follows:

SUB-DIRECTORY NAME	CONTENTS
PAN	The RDR data files from the Panoramic Camera.
NAV	The RDR data files from the Navigation Camera.
HAZ	The RDR data files from the Hazard Avoidance Camera.
MI	The RDR data files from the Microscopic Imager Camera.

Beneath these instrument sub-directories, the data is further divided by sol. The sol level directory names are based on sol number and begin with the word ("SOL"), followed by a three digit sol number. The following diagram shows a sample portion of the DATA directory structure:



Appendix C.

MER OPERATIONS CAMERA RDR MOSAICS ARCHIVE VOLUME CONTENTS

A.5 Applicable Documents

10. Mars Exploration Program Data Management Plan, R. E. Arvidson and S. Slavney, Rev. 2, Nov. 2, 2000.
11. Mars Exploration Rover Project Archive Generation, Validation and Transfer Plan, R.E. Arvidson, S. Slavney, and J.A. Crisp, JPL D-19658, April 21, 2004.
12. MER Camera EDR and RDR Operations Data Products SIS, D. Alexander and H. Mortensen, Ver. 3.0.1, JPL D-22846, July 2, 2004.

A.6 Volume Sets

The MER Camera RDR Mosaics Archive is composed of 2 volume sets, described in this appendix. Each volume set consists of three data sets containing the Operations Camera RDR Mosaics for the Pancam, Navcam, and MI instruments onboard the MER1 and MER2 rovers, respectively.

A.6.1 Volume Set Names

To avoid excessive duplication of text, a variable “n” has been introduced to stand in as the number 1 or 2 in all instances where a differentiation between the MER1 and MER2 rovers is required (i.e., “n” is equivalent to MER1 and MER2).

A.6.1.1 Identifiers / Volume Specifications

ITEM	VALUE
Volume Set Name:	MARS EXPLORATION ROVER: MERn OPERATIONS CAMERA RDR MOSAICS
Volume Set ID:	USA_NASA_PDS_MERnOP_2XXX
Data Set(s):	MERn-M-PANCAM-5-MOSAIC-OPS-V1.0 MERn-M-NAVCAM-5-MOSAIC-OPS-V1.0 MERn-M-MI-5-MOSAIC-OPS-V1.0
Media Format:	DVD
Mastered volumes or Write-Once only:	Mastered / Write-Once
Data distribution mechanism:	physical media and / or online

A.6.1.2 Responsibilities

TASK	RESPONSIBLE PARTY
------	-------------------

Data products produced by:	JPL/MIPL
Ancillary files and documentation produced by:	MER Project, Instrument Teams, and PDS
Archive volume assembled by:	JPL/MIPL
Data and volume validated by:	PDS Imaging Node and PDS Central Node data engineer
Data distributed by:	PDS Imaging Node

A.6.1.3 Data Release Dates

EVENT	DATE
Data release schedule:	<p><u>Spirit</u></p> <p>1st data release, Sols 1-30, Aug 3, 2004</p> <p>2nd data release, Sols 31-90, Oct 4, 2004</p> <p>3rd release, Sols 91-180, Jan 6, 2005</p> <p><u>Opportunity</u></p> <p>1st data release, Sols 1-30, Aug 24, 2004</p> <p>2nd data release, Sols 31-90, Oct 25, 2004</p> <p>3rd release, Sols 91-180, Jan 27, 2005</p>

A.6.1.4 Volume Structure

DIRECTORY	FILE	DESCRIPTION
ROOT	AAREADME.TXT	Textual information describing the volume content and format.
	ERRATA.TXT	Textual information describing errors and/or anomalies found on the current or previous volumes.
	VOLDESC.CAT	A description of the contents of the archive volume in a human and machine readable format.
BROWSE	BROWINFO.TXT	A textual description of the contents of the BROWSE directory.
	browse_files. {JPG,LBL}	The BROWSE sub-directory structure is identical to that of the DATA sub-directory. File names are identical to full resolution file names, except that they end in .JPG extension.
CATALOG	CATINFO.TXT	A textual description of the contents of the CATALOG directory.
	PANn_MOSAIC_DS.CAT	Data set catalog objects for the MERn rover instrument RDR mosaics. These are detailed textual descriptions including: an overview of the data, the processing
	NAVn_MOSAIC_DS.CAT	
	Min_MOSAIC_DS.CAT	

	PAN_INST.CAT NAV_INST.CAT MI_INST.CAT	<p>overview of the data, the processing history, and the data format, ancillary information necessary to understand the data; any applicable coordinate systems, software necessary for the use of the data, and an analysis of the quality and limitations of the data.</p> <p>$n = 1$ or 2</p> <p>Instrument catalog objects for the MER rover instruments. This is a detailed textual description of the instruments including scientific objectives, calibration information, operational considerations, a description of the detectors and electronics (and filters and optics, if appropriate), the operational modes, subsystems, and measured parameters.</p>
	INSTHOST.CAT	A textual description providing an overview of the MER rover/spacecraft.
	MISSION.CAT	A detailed description of the MER mission.
	PERSON.CAT	Personnel catalog object. Contact information for people responsible for producing the science data and archive volume and its component data sets.
	REF.CAT	Reference catalog object. This is a complete list of references of papers providing further information about the data sets and instrumentation on this volume.
DATA		Please see "Data Directory Structure" section below for a description of the DATA directory structure.
DOCUMENT	DOCINFO.TXT OPS_EDR_RDR_SIS.{ASC,LBL,PDF} VOLSIS.{ASC,LBL,PDF}	<p>A textual description of the contents of the DOCUMENT directory.</p> <p>Data Product Software Interface Specification for the camera instruments (Pancam, Navcam, Microscopic Imager).</p> <p>Volume Organization Software Interface Specification for the MER data archive.</p>
INDEX	INDXINFO.TXT INDEX.{LBL,TAB} CUMINDEX.{LBL,TAB}	<p>A textual description of the contents of the INDEX directory.</p> <p>A tabular summary of the data files on this volume.</p> <p>$n = 1$ or 2</p> <p>A cumulative tabular summary of the data</p>


	files on all (previous) volumes in this volume set.
	n = 1 or 2

A.6.1.5 Data Directory Structure

Immediately beneath the DATA directory are sub-directories distinguished on the basis of instrument. The sub-directory names are as follows:

SUB-DIRECTORY NAME	CONTENTS
PAN	The mosaic data files from the Panoramic Camera.
NAV	The mosaic data files from the Navigation Camera.
MI	The mosaic data files from the Microscopic Imager Camera.

Beneath these instrument sub-directories, the data is further divided by site. The site level directory names are based on site number and begin with the word ("SITE"), followed by a three digit site number. The following diagram shows a sample portion of the DATA directory structure:



Appendix D.

MER OPERATIONS CAMERA RDR MESHES ARCHIVE VOLUME CONTENTS

A.7 Applicable Documents

13. Mars Exploration Program Data Management Plan, R. E. Arvidson and S. Slavney, Rev. 2, Nov. 2, 2000.
14. Mars Exploration Rover Project Archive Generation, Validation and Transfer Plan, R.E. Arvidson, S. Slavney, and J.A. Crisp, JPL D-19658, April 21, 2004.
15. MER Camera EDR and RDR Operations Data Products SIS, D. Alexander and H. Mortensen, Ver. 3.0.1, JPL D-22846, July 2, 2004.

A.8 Volume Sets

The MER Camera RDR Meshes Archive is composed of 2 volume sets, described in this appendix. Each volume set consists of six data sets containing the Operations Camera RDR Meshes for the Pancam, Navcam, and Hazcam instruments onboard the MER1 and MER2 rovers, respectively.

A.8.1 Volume Set Names

To avoid excessive duplication of text, a variable “n” has been introduced to stand in as the number 1 or 2 in all instances where a differentiation between the MER1 and MER2 rovers is required (i.e., “n” is equivalent to MER1 and MER2).

A.8.1.1 Identifiers / Volume Specifications

ITEM	VALUE
Volume Set Name:	MARS EXPLORATION ROVER: MERn OPERATIONS CAMERA RDR MESHES
Volume Set ID:	USA_NASA_PDS_MERnOP_3XXX
Data Set(s):	MERn-M-PANCAM-5-WEDGE-OPS-V1.0 MERn-M-PANCAM-5-MESH-OPS-V1.0 MERn-M-NAVCAM-5-WEDGE-OPS-V1.0 MERn-M-NAVCAM-5-MESH-OPS-V1.0 MERn-M-HAZCAM-5-WEDGE-OPS-V1.0 MERn-M-HAZCAM-5-MESH-OPS-V1.0
Media Format:	DVD
Mastered volumes or Write-Once only:	Mastered / Write-Once
Data distribution mechanism:	physical media and / or online

A.8.1.2 Responsibilities

TASK	RESPONSIBLE PARTY
Data products produced by:	JPL/MIPL
Ancillary files and documentation produced by:	MER Project, Instrument Teams, and PDS
Archive volume assembled by:	JPL/MIPL
Data and volume validated by:	PDS Imaging Node and PDS Central Node data engineer
Data distributed by:	PDS Imaging Node

A.8.1.3 Data Release Dates

EVENT	DATE
Data release schedule:	<p><u>Spirit</u></p> <p>1st data release, Sols 1-30, Aug 3, 2004</p> <p>2nd data release, Sols 31-90, Oct 4, 2004</p> <p>3rd release, Sols 91-180, Jan 6, 2005</p> <p><u>Opportunity</u></p> <p>1st data release, Sols 1-30, Aug 24, 2004</p> <p>2nd data release, Sols 31-90, Oct 25, 2004</p> <p>3rd release, Sols 91-180, Jan 27, 2005</p>

A.8.1.4 Volume Structure

DIRECTORY	FILE	DESCRIPTION
ROOT	AAREADME.TXT	Textual information describing the volume content and format.
	ERRATA.TXT	Textual information describing errors and/or anomalies found on the current or previous volumes.
	VOLDESC.CAT	A description of the contents of the archive volume in a human and machine readable format.
BROWSE	BROWINFO.TXT browse_files. {JPG,LBL}	<p>A textual description of the contents of the BROWSE directory.</p> <p>The BROWSE sub-directory structure is identical to that of the DATA sub-directory. File names are identical to full resolution file names, except that they end in .JPG extension.</p>

CATALOG	CATINFO.TXT	A textual description of the contents of the CATALOG directory.
	PAN_n_WEDGE_DS.CAT PAN_n_MESH_DS.CAT	Data set catalog objects for the MER _n rover Camera RDR Meshes. These are detailed textual descriptions including: an overview of the data; descriptions of the primary measured parameters, the processing history, and the data format, ancillary information necessary to understand the data; any applicable coordinate systems, software necessary for the use of the data, and an analysis of the quality and limitations of the data.
	NAV_n_WEDGE_DS.CAT NAV_n_MESH_DS.CAT	
	HAZ_n_WEDGE_DS.CAT HAZ_n_MESH_DS.CAT	
	PAN_INST.CAT NAV_INST.CAT HAZ_INST.CAT	n = 1 or 2 Instrument catalog objects for the MER rover instruments. This is a detailed textual description of the instruments including scientific objectives, calibration information, operational considerations, a description of the detectors and electronics (and filters and optics, if appropriate), the operational modes, subsystems, and measured parameters.
	INSTHOST.CAT	A textual description providing an overview of the MER rover/spacecraft.
	MISSION.CAT	A detailed description of the MER mission.
	PERSON.CAT	Personnel catalog object. Contact information for people responsible for producing the science data and archive volume and its component data sets.
	REF.CAT	Reference catalog object. This is a complete list of references of papers providing further information about the data sets and instrumentation on this volume.
DATA		Please see "Data Directory Structure" section below for a description of the DATA directory structure.
DOCUMENT	DOCINFO.TXT	A textual description of the contents of the DOCUMENT directory.
	OPS_EDR_RDR_SIS.{ASC,LBL,PDF}	Data Product Software Interface Specification for the camera instruments (Pancam, Navcam, Hazcam).
	VOLSIS.{ASC,LBL,PDF}	Volume Organization Software Interface Specification for the MER data archive.
INDEX	INDXINFO.TXT	A textual description of the contents of the INDEX directory.

INDEX.{LBL,TAB}	A tabular summary of the data files on this volume.
CUMINDEX.{LBL,TAB}	<p>n = 1 or 2</p> <p>A cumulative tabular summary of the data files on all (previous) volumes in this volume set.</p> <p>n = 1 or 2</p>

A.8.1.5 Data Directory Structure

Immediately beneath the DATA directory are sub-directories distinguished on the basis of instrument. The sub-directory names are as follows:

SUB-DIRECTORY NAME	CONTENTS
PAN	The mesh data files from the Panoramic Camera.
NAV	The mesh data files from the Navigation Camera.
HAZ	The mesh data files from the Hazard Avoidance Camera.

Beneath these instrument sub-directories, the data is further divided by site. The site level directory names are based on site number and begin with the word ("SITE"), followed by a three digit site number. The following diagram shows a sample portion of the DATA directory structure:

